

Safety Data Sheet

Infosafe No™ LQ31R Issue Date : January 2014 ISSUED by FALKAUST

Product Name : **FALK GMAX 6000**

1. Identification

GHS Product Identifier FALK GMAX 6000
Company Name FALK AUSTRALIA PTY LTD
Address 44 Broadmeadow Road Broadmeadow
NSW 2292 Australia
Telephone/Fax Number Tel: +61 2 49628000
Fax: +61 2 49628001
Emergency phone number AUS: 1800 638 556 NZ: 0800 154 666 (24hours)
Recommended use of the chemical and restrictions on use Gear Lubricant used in enclosed drive applications.
Additional Information Additional Supplier:
REXNORD AUSTRALIA PTY LTD
25 HENRY STREET, PICTON NSW 2571.
PH:+61 2 46773811.
FAX:+61 2 46773812.
Emergency contact: AUS: 1800 638 556 NZ: 0800 154 666 (24hours)

2. Hazard Identification

Classification of the substance or mixture Not classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia.
Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)

3. Composition/information on ingredients

Ingredients	Name	CAS	Proportion
	Ingredients determined not to be hazardous.		100 %

4. First-aid measures

Inhalation If inhaled, remove affected person from contaminated area. Keep at rest until recovered. If symptoms persist seek medical attention.
Ingestion Do not induce vomiting. Wash out mouth thoroughly with water. If symptoms develop seek medical attention.
Skin Wash affected area thoroughly with soap and water. If symptoms develop seek medical attention.
Eye contact If in eyes, hold eyelids apart and flush the eyes continuously with running water. Continue flushing for several minutes until all contaminants are washed out completely. If symptoms develop and persist seek medical attention.
First Aid Facilities Eye wash and normal washroom facilities.
Advice to Doctor Treat symptomatically.

5. Fire-fighting measures

Suitable extinguishing media Carbon dioxide, foam, dry chemical.
Unsuitable Extinguishing Media Do not use water jet.
Hazards from Combustion Products Under fire conditions this product may emit toxic and/or irritating fumes and gases including carbon monoxide, carbon dioxide, oxides of nitrogen and sulfur.
Specific hazards arising from the chemical Combustible. This product will readily burn under fire conditions.
Decomposition Temp. Not available
Precautions in connection with Fire Fire fighters should wear Self-Contained Breathing Apparatus (SCBA) operated in positive pressure mode and full protective clothing to prevent exposure to

Infosafe No™ LQ31R	Issue Date : January 2014	ISSUED by FALKAUST
--------------------	---------------------------	--------------------

Product Name : **FALK GMAX 6000**

vapours or fumes. Water spray may be used to cool down heat-exposed containers. Fight fire from safe location. This product should be prevented from entering drains and watercourses.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Wear appropriate personal protective equipment and clothing to prevent exposure. Extinguish or remove all sources of ignition and stop leak if safe to do so. Increase ventilation. Evacuate all unprotected personnel. If possible contain the spill. Place inert absorbent, non-combustible material onto spillage. Use clean non-sparking tools to collect the material and place into suitable labelled containers for subsequent recycling or disposal. Dispose of waste according to the applicable local and national regulations. If contamination of sewers or waterways occurs inform the local water and waste management authorities in accordance with local regulations.

7. Handling and storage

Precautions for Safe Handling Avoid inhalation of vapours and mists, and skin or eye contact. Use only in a well ventilated area. Keep containers sealed when not in use. Prevent the build up of mists or vapours in the work atmosphere. Do not use near ignition sources. Do not pressurise, cut, heat or weld containers as they may contain hazardous residues. Maintain high standards of personal hygiene ie. washing hands prior to eating, drinking, smoking or using toilet facilities.

Conditions for safe storage, including any incompatibilities Store in a cool, dry, well-ventilated area away from sources of ignition, oxidising agents, strong acids, foodstuffs, and clothing. Keep containers closed when not in use and securely sealed and protected against physical damage. Inspect regularly for deficiencies such as damage or leaks. Have appropriate fire extinguishers available in and near the storage area. Take precautions against static electricity discharges. Use proper grounding procedures. For information on the design of the storeroom, reference should be made to Australian Standard AS1940 - The storage and handling of flammable and combustible liquids. Reference should also be made to all applicable local and national regulations.

Storage Regulations Classified as a Class C2 (COMBUSTIBLE LIQUID) for the purpose of storage and handling, in accordance with the requirements of AS1940.

8. Exposure controls/personal protection

Occupational exposure limit values No exposure standards have been established for the mixture. However, over-exposure to some chemicals may result in enhancement of pre-existing adverse medical conditions and/or allergic reactions and should be kept to the least possible levels.

Biological Limit Values No biological limits allocated.

Appropriate engineering controls Provide sufficient ventilation to keep airborne levels below the exposure limits. Where vapours or mists are generated, particularly in enclosed areas, and natural ventilation is inadequate, a flameproof exhaust ventilation system is required.

Respiratory Protection If engineering controls are not effective in controlling airborne exposure then an approved respirator with a replaceable mist filter should be used. Reference should be made to Australian/New Zealand Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary changes for individual circumstances.

Eye Protection Safety glasses with side shields or chemical goggles should be worn. Final choice of appropriate eye/face protection will vary according to individual circumstances. Eye protection devices should conform with Australian/New Zealand Standard AS/NZS 1337 - Eye Protectors for Industrial Applications.

Hand Protection Wear gloves of impervious material. Final choice of appropriate gloves will vary according to individual circumstances i.e. methods of handling or according to risk assessments undertaken. Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection, use and maintenance.

Body Protection Suitable protective workwear should be worn when working with this material, e.g. cotton overalls buttoned at neck and wrist.

9. Physical and chemical properties

Safety Data Sheet

Infosafe No™ LQ31R Issue Date : January 2014 ISSUED by FALKAUST

Product Name : **FALK GMAX 6000**

Appearance	Bright blue liquid
Colour	Bright blue
Odour	Characteristic odour
Decomposition Temperature	Not available
Melting Point	Not available
Boiling Point	Not available
Solubility in Water	Not available
Specific Gravity	1.05
pH	Not available
Vapour Pressure	Not available
Vapour Density (Air=1)	Not available
Evaporation Rate	Not available
Odour Threshold	Not available
Viscosity	132 cSt (40°C)
Partition Coefficient: n-octanol/water	Not available
Flash Point	267°C
Flammability	Not flammable
Auto-Ignition Temperature	Not available
Flammable Limits - Lower	Not available
Flammable Limits - Upper	Not available

10. Stability and reactivity

Reactivity	Reacts with incompatibles.
Chemical Stability	Stable under normal conditions of storage and handling.
Conditions to Avoid	Heat, flames and other sources of ignition.
Incompatible Materials	Strong oxidizing agents.
Hazardous Decomposition Products	Thermal decomposition may result in the release of toxic and/or irritating fumes and gases including carbon monoxide, carbon dioxide and oxides of sulfur.
Hazardous Polymerization	Will not occur.

11. Toxicological Information

Toxicology Information	No toxicity data available for this material.
Ingestion	Ingestion of this product may irritate the gastric tract causing nausea and vomiting.
Inhalation	Inhalation of product vapours may cause irritation of the nose, throat and respiratory system.
Skin	Skin contact may cause irritation resulting in redness and itching. Prolonged or repeated skin contact may cause defatting leading to dermatitis.
Eye	May be irritating to eyes. The symptoms may include redness, itching and tearing.
Respiratory sensitisation	Not expected to be a respiratory sensitiser.

Safety Data Sheet

Infosafe No™ LQ31R Issue Date : January 2014 ISSUED by FALKAUST

Product Name : **FALK GMAX 6000**

Skin Sensitisation	Not expected to be a skin sensitiser.
Germ cell mutagenicity	Not considered to be a mutagenic hazard.
Carcinogenicity	Not considered to be a carcinogenic hazard.
Reproductive Toxicity	Not considered to be toxic to reproduction.
STOT-single exposure	Not expected to cause toxicity to a specific target organ.
STOT-repeated exposure	Not expected to cause toxicity to a specific target organ.
Aspiration Hazard	Not expected to be an aspiration hazard.

12. Ecological information

Ecotoxicity	No data is available for this material.
Persistence and degradability	Not available
Mobility	Not available
Bioaccumulative Potential	Not available
Environmental Protection	Prevent this material entering waterways, drains and sewers.

13. Disposal considerations

Disposal Considerations	Dispose of waste according to applicable local and national regulations.
--------------------------------	--

14. Transport information

Transport Information	Road and Rail Transport (ADG Code): Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG Code) (7th edition). Marine Transport (IMO/IMDG): Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea. Air Transport (ICAO/IATA): Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.
IMDG Marine pollutant	No

15. Regulatory information

Regulatory Information	Not classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia. Not classified as a Scheduled Poison according to the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).
Poisons Schedule	Not Scheduled

16. Other Information

Date of preparation or last revision of SDS	SDS Created: January 2014
Literature References	Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice. Standard for the Uniform Scheduling of Medicines and Poisons. Australian Code for the Transport of Dangerous Goods by Road & Rail. Model Work Health and Safety Regulations, Schedule 10: Prohibited carcinogens, restricted carcinogens and restricted hazardous chemicals. Workplace exposure standards for airborne contaminants, Safe work Australia.

Safety Data Sheet

Infosafe No™ LQ31R

Issue Date : January 2014

ISSUED by FALKAUST

Product Name : **FALK GMAX 6000**

American Conference of Industrial Hygienists (ACGIH).
Globally Harmonised System of classification and labelling of chemicals.
...End Of MSDS...

© Copyright ACOHS Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd.
The compilation of MSDS's displayed is the intellectual property of Acohs Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Acohs Pty Ltd.